AMENDMENTS TO THE CLAIMS

This listing of claims replaces all prior listing of claims in this application.

Claims 1-12 (Canceled).

13. (Currently amended) A semiconductor device comprising:

a substrate;

an oxide layer formed over said substrate;

a layer that is transparent to light <u>formed over said substrate and</u> having a first thickness, wherein said transparent layer includes a material selected from the group consisting of BPSG, PSG, and TEOS; and

a first anti-reflective coating formed beneath the transparent layer <u>and on</u> said oxide layer and having a second thickness, wherein said first thickness is greater than the second thickness.

14. (Original) The semiconductor device of claim 13 wherein the first antireflective coating has a complex refractive index with an imaginary part whose value is at least one.

Claims 15-16 (Canceled).

- 17. (Original) The semiconductor device of claim 13 wherein the first antireflective coating includes a material comprising an organic polymer.
- 18. (Original) The semiconductor device of claim 13 wherein the first antireflective coating includes a material comprising silicon and nitrogen.

19. (Original) The semiconductor device of claim 13 wherein the first antireflective coating includes a material comprising silicon and oxygen.

20. (Original) The semiconductor device of claim 13 further including: a second anti-reflective coating extending over the transparent layer.

21. (Currently amended) A semiconductor device comprising:

a substrate;

an oxide layer formed over said substrate;

a layer that is transparent to light <u>formed over said substrate and</u> having a wavelength of approximately 365 nm, wherein said transparent layer includes a material selected from the group consisting of BPSG, PSG and TEOS; and

a first anti-reflective coating formed beneath the transparent layer <u>and on said oxide layer</u>.

22. (Original) The semiconductor device of claim 21 wherein the first antireflective coating has a complex refractive index with an imaginary part whose value is at least one.

23-24 (Canceled).

- 25. (Original) The semiconductor device of claim 21 wherein the first antireflective coating includes a material comprising silicon and nitrogen.
- 26. (Original) The semiconductor device of claim 21 wherein the first antireflective coating includes a material comprising silicon and oxygen.

27. (Original) The semiconductor device of claim 21 further including:

a second anti-reflective coating extending over the transparent layer.

28. (Currently amended) A semiconductor device comprising:

<u>a substrate;</u>

an oxide layer formed over said substrate;

a layer that is transparent to light <u>formed over said substrate and</u> having a wavelength of approximately 193 nm, wherein said transparent layer includes a material selected from the group consisting of BPSG, PSG and TEOS; and

a first anti-reflective coating beneath the transparent layer and on said oxide layer.

29. (Original) The semiconductor device of claim 28 wherein the first antireflective coating has a complex refractive index with an imaginary part whose value is at least one.

Claims 30-31 (Canceled).

- 32. (Original) The semiconductor device of claim 28 wherein the first antireflective coating includes a material comprising silicon and nitrogen.
- 33. (Original) The semiconductor device of claim 28 wherein the first antireflective coating includes a material comprising silicon and oxygen.

34. (Original) The semiconductor device of claim 28 further including:

a second anti-reflective coating extending over the transparent layer.

- 35. (Previously presented) The semiconductor device of claim 20 wherein the second anti-reflective coating includes a material comprising silicon and nitrogen.
- 36. (Previously presented) The semiconductor device of claim 20 wherein the second anti-reflective coating includes a material comprising silicon and oxygen.
- 37. (Previously presented) The semiconductor device of claim 20 wherein the second anti-reflective coating includes a material comprising an organic polymer.
- 38. (Previously presented) The semiconductor device of claim 27 wherein the second anti-reflective coating includes a material comprising silicon and nitrogen.
- 39. (Previously presented) The semiconductor device of claim 27 wherein the second anti-reflective coating includes a material comprising silicon and oxygen.
- 40. (Previously presented) The semiconductor device of claim 27 wherein the second anti-reflective coating includes a material comprising an organic polymer.
- 41. (Previously presented) The semiconductor device of claim 34 wherein the second anti-reflective coating includes a material comprising silicon and nitrogen.
- 42. (Previously presented) The semiconductor device of claim 34 wherein the second anti-reflective coating includes a material comprising silicon and oxygen.
- 43. (Previously presented) The semiconductor device of claim 34 wherein the second anti-reflective coating includes a material comprising an organic polymer.

44. (Currently amended) A semiconductor device comprising:

a silicon oxide layer formed over a surface of a substrate;

an anti-reflective coating layer having a first thickness formed [[over]] <u>on</u> said silicon oxide layer; <u>and</u>

a layer which is transparent to the wavelength of light formed over the antireflective coating layer, said transparent layer having a second thickness greater than said first thickness, and wherein said transparent layer includes a material selected from the group consisting of BPSG, PSG and TEOS.

45. (Previously Presented) The semiconductor device of claim 13, wherein said transparent layer is transparent to light having a wavelength of approximately 248 nm.

Claims 46-55 (Canceled).

56. (New) A semiconductor device comprising:

a layer formed over a substrate that is transparent to light having a first thickness, wherein said transparent layer includes an oxide material selected from the group consisting of BPSG, PSG, and TEOS; and

a first anti-reflective coating formed beneath the transparent layer having a second thickness, wherein said first thickness is greater than the second thickness.

57. (New) A semiconductor device comprising:

a layer formed over a substrate that is transparent to light having a wavelength of approximately 365 nm, wherein said transparent layer includes an oxide material selected from the group consisting of BPSG, PSG and TEOS; and

a first anti-reflective coating formed beneath the transparent layer.

58. (New) A semiconductor device comprising:

a layer formed over a substrate that is transparent to light having a wavelength of approximately 193 nm, wherein said transparent layer includes an oxide material selected from the group consisting of BPSG, PSG and TEOS; and

a first anti-reflective coating beneath the transparent layer.